

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1686	250/330.ccls. and ("night vision" same syst\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:52
L3	2	250/330	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:41
L4	71	250/330.ccls. and color adj correction	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:41
L8	1	250/330 and beam adj splitter and (reflect\$4 adj facet)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:05
L10	1462	250/330 and optical and color adj correct emission adj pattern	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:05
L14	65	optical same light adj source and (reflect\$4 adj facet) and optical adj element and surface same (perpendicular)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:52
L15	65	optical same light adj source and (reflect\$4 adj facet) and optical adj element and surface same (perpendicular) and facet	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:52
L16	1	optical same light adj source and (reflect\$4 adj facet) and optical adj element and surface same (perpendicular) and reflect adj facet	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:52
L17	19	250/330.ccls. and light adj source and (night adj vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:53
L18	3	250/330.ccls. and light adj source and (night adj vision) and perpendicular	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:53
L21	1	250/330.ccls. and light adj source and (night adj vision) and perpendicular and reflect	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:54

L22	1	250/330.ccls. and light adj source and (night adj vision) and perpendicular and beam adj split\$4	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:54
L23	0	250/338.1.ccls. and (white adj LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:04
L24	0	250/338.1 and beam adj splitter and (reflect\$4 adj facet)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:07
L25	1462	250/338.1 and optical and color adj correct emission adj pattern	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:05
L26	1146	vehicle and (night adj vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:07
L27	2207	250/338.1	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:07
L28	87	250/330.ccls. and (collimat\$4 or collimator)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:08
S1	643	250/330.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:40
S2	7	250/330.ccls. and (color with correction)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:41
S3	9	250/330.ccls. and (color with correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 07:29
S4	18	250/330.ccls. and (color same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:09
S5	26	250/330.ccls. and (collimator)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:08

S6	4094	"night vision"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/01 11:48
S10	75	250/330.ccls. and (LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 09:54
S12	68	250/330.ccls. and (night same vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:01
S14	33	250/330.ccls. and ("night vision" same applic\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 12:18
S15	35	250/330.ccls. and ("night vision" same system)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 12:18
S16	45	250/330.ccls. and ("night vision" same system)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/06/03 12:33
S17	202	250/330.ccls. and (light same source)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 12:44
S18	2	250/330.ccls. and (green same LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 12:44
S19	14	250/330.ccls. and ("light source" same LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 12:44
S20	1302	250/338.1.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 12:37
S21	47	250/338.1.ccls. and (night same vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 13:34
S22	5	250/338.1.ccls. and (color same correction)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 13:34

S23	185	250/338.1.ccls. and (color correction)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 13:34
S24	111	250/338.1.ccls. and (night vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:02
S25	8	250/339.06.ccls. and (night vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 13:55
S26	18	250/340.ccls. and (night vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:01
S27	35	250/353.ccls. and (night vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 14:15
S28	36	250/352.ccls. and (night vision)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 14:36
S29	5	250/352.ccls. and (facet)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/06/10 12:37
S30	14	250/330.ccls. and (facet)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/06/03 14:37
S31	3	250/330.ccls. and (holograph\$ same diffus\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/03 14:48
S32	7	250/341.8.ccls. and (holograph\$ same diffus\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:02
S34	433	"vehicle" same "night vision"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:07
S35	65	250/330.ccls. and (red same light)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 11:54

S36	22	250/330.ccls. and ("red light")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 11:54
S37	20	250/330.ccls. and ("red light" and visible)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:24
S38	1	250/330.ccls. and ("non-red light" and visible)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:01
S39	2	250/330.ccls. and ("emission pattern")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:26
S40	20	250/330.ccls. and (emission same pattern)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:33
S41	1	250/330.ccls. and (color-corrected)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:34
S42	415	250/330.ccls. and (corrected light)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:34
S43	443	250/330.ccls. and (red corrected light)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:35
S44	1	250/330.ccls. and (red same "corrected light")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:35
S45	18	250/330.ccls. and (color same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:45
S46	11	250/330.ccls. and (red same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:45
S47	11	250/330.ccls. and (" red " same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 12:56

S48	23	250/330.ccls. and ("laser diode")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 13:00
S49	2507648	non-red color correction light	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 13:01
S50	80	infrared and non-red	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 13:59
S51	5	250/330 and infrared and non-red	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 14:00
S52	1	250/330.ccls. and infrared and non-red	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 14:00
S53	88	250/330.ccls. and (infrared and red)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 14:52
S54	89	250/330.ccls. and (visible and red)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 14:58
S55	3	250/330.ccls. and (thin-sheet)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 14:59
S56	2	250/330.ccls. and (light same redirect)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:09
S57	2	250/330.ccls. and (chromatic\$ and correct)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:13
S58	3	250/330.ccls. and (achromatic\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:17
S59	3	250/330.ccls. and (achromatic\$ and visible)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:23

S60	180	chromatic\$ and "night vision"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:24
S61	47	achromatic\$ and "night vision"	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:25
S62	1108	achromatic\$ and infrared	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:25
S63	27	infrared and (achromatic\$ and "night vision")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/08 15:26
S64	63	250/330.ccls. and (white same image)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 08:39
S65	80	infrared and non-red	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 09:34
S66	236	250/362.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:21
S67	13	250/362.ccls. and (infrared)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 09:41
S68	3	250/362.ccls. and (infrared and monochrom\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 09:42
S69	901	250/504R.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 09:43
S70	80	250/504R.ccls. and (white)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 12:37
S71	204	250/504R.ccls. and (visible same light)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 09:54

S72	244	250/504R.ccls. and (white image)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 10:47
S73	38	250/504R.ccls. and (monochrom\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 10:53
S74	2	250/504R.ccls. and ("notch filter")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 10:55
S75	144	250/504R.ccls. and ("visible light")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 11:01
S76	39	250/504R.ccls. and ("visible light" and white)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:02
S77	10	250/504R.ccls. and ("visible light" same white)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:07
S78	3	250/495.1.ccls. and ("visible light" same white)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:15
S79	12	250/330.ccls. and ("visible light" same white)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:18
S80	13	250/362.ccls. and (infrared)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:32
S81	1	250/362.ccls. and (chrom\$ same correct)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 12:33
S82	1	250/504R.ccls. and (chrom\$4 same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 12:45
S83	1	250/495.1.ccls. and (chrom\$4 same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 13:13

S84	1	250/495.1.ccls. and (color\$4 same correct\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/09 13:13
S85	7	250/352.ccls. and (visible and green)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/06/10 12:38
S86	61	250/330.ccls. and (visible and green)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/06/10 12:38
S87	19	250/330.ccls. and (white and LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 12:46
S88	7	250/330.ccls. and ("green light" same emit\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:04
S89	5	250/504R.ccls. and ("green light" same emit\$)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:04
S90	36	250/504R.ccls. and ("emitting diode")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:06
S91	26	250/504R.ccls. and (infra\$ and "emitting diode")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:07
S92	2	250/504R.ccls. and (infra\$ and "amber")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:07
S93	1	250/330.ccls. and (holo\$ same filter with notch)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:10
S94	1	250/330.ccls. and (holo\$ same notch with filter)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:10
S95	4	250/330.ccls. and (notch with filter)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 13:10

S96	179	250/338.1.ccls. and (white "adj." LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 15:04
S97	12	250/338.1.ccls. and (visible same LED)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:11
S98	37	250/338.1.ccls. and (thin with sheet)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:11
S99	7	250/338.1.ccls. and ("thin sheet")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:37
S10 0	4	250/330.ccls. and ("notch filter")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:47
S10 1	46	250/330.ccls. and ("pass filter")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 14:29
S10 2	39	250/330.ccls. and (infrared and "pass filter")	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 14:48
S10 3	3	250/330.ccls. and ("optical element" with diffuser)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/10 15:24
S10 4	3	250/330.ccls. and (thin-sheet and optical)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/14 08:04
S10 5	9	250/330.ccls. and (thin with sheet)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/14 13:21
S10 6	219	250/495.1.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:04
S10 7	119	250/339.06.ccls.	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:03

S10 8	199	250/330.ccls. and laser	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 14:26
S10 9	62	250/330.ccls. and laser and diode	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 14:26
S11 0	3	250/330.ccls. and laser and diode and diffuser	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 14:26
S11 1	48	250/330.ccls. and laser and diode and beam\$7	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:45
S11 2	29	250/330.ccls. and (pass same band same filter)	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 14:30
S11 3	6	250/340.ccls. and beam same split	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:02
S11 4	7	250/341.8.ccls. and emis\$7 same pattern	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:03
S11 5	34	250/339.06.ccls. and laser	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:03
S11 6	13	250/339.06.ccls. and laser and diode	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:03
S11 7	47	250/495.1.ccls. and laser	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:04
S11 8	17	250/495.1.ccls. and laser and pattern	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/12/02 14:47
S11 9	7	250/495.1.ccls. and laser and pattern same emit\$	US-PGPUB; USPAT; EPO; DERWENT	OR	OFF	2004/06/25 15:05

S12 0	80	250/330.ccls. and element and perpendic\$	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 13:15
S12 1	70	250/330.ccls. and optical and element and perpendic\$	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 13:16
S12 2	65	250/330.ccls. and optical and element and perpendicular	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 13:19
S12 3	65	250/330.ccls. and optical and (element and perpendicular)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 13:21
S12 4	74	250/330.ccls. and (element and perpendicular)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 14:22
S12 5	4	250/330.ccls. and (element and perpendicular and facet)	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2004/07/09 14:22
S12 6	1	"3804976".PN.	USPAT	OR	OFF	2004/07/09 14:44
S12 7	1	"3109057".PN.	USPAT	OR	OFF	2004/07/09 14:44
S12 8	1	"3804976".PN.	USPAT	OR	OFF	2004/07/09 14:45
S12 9	1	"3786269".PN.	USPAT	OR	OFF	2004/07/09 14:46